

# **GIVING CENTOS A TRY**

## **THE EASIEST WAY(S)! :-)**

# **THE GOAL!**

# THE GOAL!

**INSTALL A CENTOS VM**

# THE GOAL!

**INSTALL A CENTOS VM**

EASY, NO?

# HOW'S IT DONE TODAY?

# HOW'S IT DONE TODAY?

**W**

**T**

**F**

**HOW'S IT DONE TODAY?**

**WOW,**

**THAT'S**

**FUN!**

# I WANNA INSTALL



# **I WANNA INSTALL**

**INSTALL IT NOW!**



FREDO MERLAY  
1940 - 1941

# **DEMO!**

**MAKES YOU WANNA FEEL, MAKES YOU WANNA TRY**

# **WORK IN PROGRESS**

# WORK IN PROGRESS

- **LATEST RELEASE**

# WORK IN PROGRESS

- **LATEST RELEASE**

- `$ virt-install --name test-centos-vm --os-variant centos7.0 --disk size=10 --memory 2048 --location http://mirror.centos.org/centos-7/7/os/x86_64/ --initrd-inject /path/to/centos.ks --extra-args ks=file:/centos.ks`

# WORK IN PROGRESS

- **LATEST RELEASE**

- `$ virt-install --name test-centos-vm --os-variant centos7.0 --disk size=10 --memory 2048 --location http://mirror.centos.org/centos-7/7/os/x86_64/ --initrd-inject /path/to/centos.ks --extra-args ks=file:/centos.ks`

- **WIP BRANCH**

- `$ virt-install --name test-centos-vm --os-variant centos7.0 --unattended profile=desktop|jeos`

# **BEHIND THE SCENES**



# BEHIND THE SCENES

- LIBOSINFO

# BEHIND THE SCENES

- **LIBOSINFO**
- **OSINFO-DB**

# BEHIND THE SCENES

- **LIBOSINFO**
- **OSINFO-DB**
- **OSINFO-DB-TOOLS**

# **SHOULD I RELY ON MY DISTRO?**

# SHOULD I RELY ON MY DISTRO?

- WELL, IT DEPENDS ...

# SHOULD I RELY ON MY DISTRO?

- **WELL, IT DEPENDS ...**
- **AND WHAT ABOUT CENTOS? WELL, ...**

# KEEPING THE DB UP-TO-DATE

# KEEPING THE DB UP-TO-DATE

- OSINFO-DB-IMPORT



# KEEPING THE DB UP-TO-DATE

- **OSINFO-DB-IMPORT**

- Get osinfo-db release from <https://releases.pagure.org/libosinfo/>

# KEEPING THE DB UP-TO-DATE

- **OSINFO-DB-IMPORT**

- Get osinfo-db release from <https://releases.pagure.org/libosinfo/>
- `$ osinfo-db-import osinfo-db-20190120.tar.xz`

# KEEPING THE DB UP-TO-DATE

- **OSINFO-DB-IMPORT**

- Get osinfo-db release from <https://releases.pagure.org/libosinfo/>
- `$ osinfo-db-import osinfo-db-20190120.tar.xz`

- **COULD BE SIMPLER, COULDN'T IT?**

# KEEPING THE DB UP-TO-DATE

- **OSINFO-DB-IMPORT**

- Get osinfo-db release from <https://releases.pagure.org/libosinfo/>
- `$ osinfo-db-import osinfo-db-20190120.tar.xz`

- **COULD BE SIMPLER, COULDN'T IT?**

- `$ osinfo-db-import \  
https://releases.pagure.org/libosinfo/osinfo-db-20190120.tar.xz`

# KEEPING THE DB UP-TO-DATE

- **OSINFO-DB-IMPORT**

- Get osinfo-db release from <https://releases.pagure.org/libosinfo/>
- `$ osinfo-db-import osinfo-db-20190120.tar.xz`

- **COULD BE SIMPLER, COULDN'T IT?**

- `$ osinfo-db-import \`  
`https://releases.pagure.org/libosinfo/osinfo-db-20190120.tar.xz`

- **WELL, EVEN SIMPLER?**

# KEEPING THE DB UP-TO-DATE

- **OSINFO-DB-IMPORT**

- Get osinfo-db release from <https://releases.pagure.org/libosinfo/>
- `$ osinfo-db-import osinfo-db-20190120.tar.xz`

- **COULD BE SIMPLER, COULDN'T IT?**

- `$ osinfo-db-import \`  
`https://releases.pagure.org/libosinfo/osinfo-db-20190120.tar.xz`

- **WELL, EVEN SIMPLER?**

- `$ osinfo-db-import --latest`

# **CUSTOM MODIFICATIONS**

**TALKIN' ABOUT CUSTOMIZATION!**

# **CUSTOM MODIFICATIONS**

**TALKIN' ABOUT CUSTOMIZATION!**

- **DO NOT MESS WITH YOUR SYSTEM!**



# **CUSTOM MODIFICATIONS**

**TALKIN' ABOUT CUSTOMIZATION!**

- **DO NOT MESS WITH YOUR SYSTEM!**
  
- **DROP-IN FILES**

# CUSTOM MODIFICATIONS

TALKIN' ABOUT CUSTOMIZATION!

- **DO NOT MESS WITH YOUR SYSTEM!**
- **DROP-IN FILES**
  - `$ cat $OSINFO_LOCAL_DIR/os/centos.org/centos-7.0.d/centos-dojo-custom.xml`

# CUSTOM MODIFICATIONS

TALKIN' ABOUT CUSTOMIZATION!

- **DO NOT MESS WITH YOUR SYSTEM!**
- **DROP-IN FILES**
  - `$ cat $OSINFO_LOCAL_DIR/os/centos.org/centos-7.0.d/centos-dojo-custom.xml`
- **SERIOUSLY, DO NOT MESS WITH YOUR SYSTEM!**

# **HELP!**

**I NEED SOMEBODY, HELP!**

# HELP!

**I NEED SOMEBODY, HELP!**

- **REVIEWS ON CENTOS RELATED CHANGES**

# HELP!

I NEED SOMEBODY, HELP!

- **REVIEWS ON CENTOS RELATED CHANGES**

- Let's avoid mistakes like:

```
[fidencio@dahmer osinfo-db]$ cat data/os/centos.org/centos-7*.xml.in | grep short-id
```

```
<short-id>centos7.0</short-id>
```

# HELP!

**I NEED SOMEBODY, HELP!**

- **REVIEWS ON CENTOS RELATED CHANGES**

- Let's avoid mistakes like:

```
[fidencio@dahmer osinfo-db]$ cat data/os/centos.org/centos-7*.xml.in | grep short-id
```

```
<short-id>centos7.0</short-id>
```

- **HAVE CENTOS PROPERLY ADVERTISED ON BOXES**

# HELP!

## I NEED SOMEBODY, HELP!

- **REVIEWS ON CENTOS RELATED CHANGES**

- Let's avoid mistakes like:

```
[fidencio@dahmer osinfo-db]$ cat data/os/centos.org/centos-7*.xml.in | grep short-id
```

```
<short-id>centos7.0</short-id>
```

- **HAVE CENTOS PROPERLY ADVERTISED ON BOXES**

- There's no icon that would fit Boxes!



# HELP!

## I NEED SOMEBODY, HELP!

- **REVIEWS ON CENTOS RELATED CHANGES**

- Let's avoid mistakes like:

```
[fidencio@dahmer osinfo-db]$ cat data/os/centos.org/centos-7*.xml.in | grep short-id
```

```
<short-id>centos7.0</short-id>
```

- **HAVE CENTOS PROPERLY ADVERTISED ON BOXES**

- There's no icon that would fit Boxes!
  - <https://wiki.centos.org/ArtWork/Brand/Logo>

# HELP!

## I NEED SOMEBODY, HELP!

- **REVIEWS ON CENTOS RELATED CHANGES**

- Let's avoid mistakes like:

```
[fidencio@dahmer osinfo-db]$ cat data/os/centos.org/centos-7*.xml.in | grep short-id
```

```
<short-id>centos7.0</short-id>
```

- **HAVE CENTOS PROPERLY ADVERTISED ON BOXES**

- There's no icon that would fit Boxes!

- <https://wiki.centos.org/ArtWork/Brand/Logo>

- **NOTICED SOMETHING WEIRD?**

# HELP!

## I NEED SOMEBODY, HELP!

- **REVIEWS ON CENTOS RELATED CHANGES**

- Let's avoid mistakes like:

```
[fidencio@dahmer osinfo-db]$ cat data/os/centos.org/centos-7*.xml.in | grep short-id
```

```
<short-id>centos7.0</short-id>
```

- **HAVE CENTOS PROPERLY ADVERTISED ON BOXES**

- There's no icon that would fit Boxes!

- <https://wiki.centos.org/ArtWork/Brand/Logo>

- **NOTICED SOMETHING WEIRD?**

- Please, report an issue!

# HELP!

## I NEED SOMEBODY, HELP!

- **REVIEWS ON CENTOS RELATED CHANGES**

- Let's avoid mistakes like:

```
[fidencio@dahmer osinfo-db]$ cat data/os/centos.org/centos-7*.xml.in | grep short-id
```

```
<short-id>centos7.0</short-id>
```

- **HAVE CENTOS PROPERLY ADVERTISED ON BOXES**

- There's no icon that would fit Boxes!

- <https://wiki.centos.org/ArtWork/Brand/Logo>

- **NOTICED SOMETHING WEIRD?**

- Please, report an issue!

- <https://libosinfo.org/bugs/#report>

**CENTOS DOJO | BRUSSELS | 2019**

**THAT'S ALL FOLKS!**

# THAT'S ALL FOLKS!

- **FIND US AT:**

- <https://libosinfo.org/>
- #virt on oftc.net or #boxes on gnome.org
- GitLab: <https://gitlab.com/libosinfo>
- Mailing List: <https://www.redhat.com/mailman/listinfo/libosinfo>